

Stamp Pad Black

MSDS No: # JSP2401

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Black

Product Code: JSP2401

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Black color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Interference Red

MSDS No: # JSP2300

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Interference Red

Product Code: JSP2300

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: White color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Metallic Copper

MSDS No: # JSP2202

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Metallic Copper

Product Code: JSP2202

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Metallic Copper color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Metallic Gold

MSDS No: # JSP2200

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Metallic Gold

Product Code: JSP2200

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Metallic Gold color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Indigo

MSDS No: # JSP2402

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Indigo

Product Code: JSP2402

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Blue color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Interference Blue

MSDS No: # JSP2301

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Interference Blue**Product Code:** JSP2301

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A**Vapor Pressure:** N/A**Vapor Density:** >1**Solubility in Water:** N/A**Appearance & Odor:** White color**Specific Gravity:** 1.14-1.45**Melting Point:** N/A**Evaporation Rate:** N/A

4. Fire and Explosive Data

Flash Point: >200 F**Extinguishing Media:** Foam, Co2, Dry Chemical or water mist**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus**Unusual Fire or Explosive Hazards:** None

5. Reactivity Data

Stability: Stable**Incompatibility (materials to avoid):** None**Hazardous Decomposition Products:** CO3, CO2**Hazardous Polymerization:** Will not occur

6. Health Effects Data

Routes of Entry: N/A**Acute:** N/A**Chronic:** N/A**Carcinogenic:** Non-carcinogenic**Signs & Symptoms of Exposure:** Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.**Medical Conditions Aggravated by Exposure:** N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.**Skin Contact:** Wash with soap and water.**Ingestion:** Rinse mouth and then drink plenty of water.**Inhalation:** Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Sepia

MSDS No: # JSP2400

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Sepia

Product Code: JSP2400

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Brown color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Metallic Silver

MSDS No: # JSP2201

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Metallic Silver

Product Code: JSP2201

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Metallic Silver color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Two Tone Blue

MSDS No: # JSP2101

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Two-Tone Blue

Product Code: JSP2101

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Metallic Blue color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Two Tone Red

MSDS No: # JSP2100

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Two-Tone Red

Product Code: JSP2100

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Metallic Red color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Two Tone Violet

MSDS No: # JSP2102

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Two-Tone Violet

Product Code: JSP2102

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: Metallic Violet color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.

Stamp Pad Interference Violet

MSDS No: # JSP2302

Effective Date: 4/30/04

Amendatory Date: 3/14/7

1. Product Identification

Product Name: Interference Violet

Product Code: JSP2302

2. Hazardous Ingredients

Hazardous Components: None

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: >1

Solubility in Water: N/A

Appearance & Odor: White color

Specific Gravity: 1.14-1.45

Melting Point: N/A

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: >200 F

Extinguishing Media: Foam, Co2, Dry Chemical or water mist

Special Fire Fighting Procedures: Wear self-contained breathing apparatus

Unusual Fire or Explosive Hazards: None

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): None

Hazardous Decomposition Products: CO3, CO2

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A

Acute: N/A

Chronic: N/A

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Low hazard for industrial use. Any material that contacts the eye may cause a mechanical irritation. Very low toxicity if ingested. Fumes formed at elevated temperatures can be irritating if inhaled.

Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Flush with water for at least 15 minutes. If irritation develops, get medical attention.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth and then drink plenty of water.

Inhalation: Remove to fresh air for relief.

8. Employee Protection Recommendations

Respiratory Protection: Not necessary at room temperature.

Ventilation: Local exhaust as needed near processing equipment.

Protective Gloves: Usually not required.

Eye Protection: Safety glasses recommended

Other Protection: Usually not required.

Storage & Handling: Do not store near heat or flame. Material can gel with long exposure to elevated temperatures (above 95 F). Wash thoroughly after handling.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Dike to contain spill. Keep product from entering drains. Recover free product. Collect remaining product with absorbent materials.

Waste Disposal Method: Dispose of materials in accordance with the applicable local, state and federal regulations.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Fiber Art Supplies & Clothing Blanks Since 1989
Pharma Trading Co.